

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name **CRYSTAL WATER**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use **Concentrated multifunction**

Identified Uses	Industrial	Professional	Consumer
Prodotti quali regolatori di pH, flocculanti, precipitatori, agenti neutralizzanti	-	PROC: 8a, 8b, 9. PC: 20.	-
Chemicals for water treatment	PC: 37.	PC: 37.	PC: 37.
Products such as pH regulators, flocculants, precipitators, neutralizing agents	-	-	ERC: 9b. PC: 20.

Uses Advised Against

Any use other than the identified uses

1.3. Details of the supplier of the safety data sheet

Name **NEW PLAST SRL**
 Full address **VIA BRESCIA, 10/B**
 District and Country **26010 POZZAGLIO (CR)**
IT
 tel. **39 0375 55066**
CCIAA 133770

e-mail address of the competent person

responsible for the Safety Data Sheet **info@poolmaster.it**
 Product distribution by: **NEW PLAST SRL**

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca` Granda -Milano) (H24)
Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)
Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti -Bergamo)
Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze)
Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma)
Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I -Roma)
Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli -Napoli)
Centro Antiveleni di Roma 06.6859.3726 (CAV Ospedale Pediatrico Bambino Gesù)
Centro Antiveleni di Foggia 800.183.459 (CAV Azienda Ospedaliera Università di Foggia)
Centro Antiveleni di Verona 800.011.858 (CAV del Venetotimes –

SECTION 2. Hazards identification**2.1. Classification of the substance or mixture**

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Hazardous to the aquatic environment, acute toxicity, category 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment, chronic toxicity, category 2	H411	Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements:

P234	Keep only in original packaging.
P273	Avoid release to the environment.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
Polimero di cloruro di N,N-dimetil-2-idrossipropil ammonio CAS 25988-97-0 EC INDEX - Reg. no. POLIMERO	$5 \leq x < 10$	Acute Tox. 4 H302, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1
HYDROCHLORIC ACID CAS 7647-01-0 EC 231-595-7 INDEX 017-002-01-X Reg. no. 01-2119484862-27-xxxx	$0 \leq x < 1$	Met. Corr. 1 H290, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Classification note/notes according to Annex VI to the CLP Regulation: B
E131 BLU PATENT CAS 3536-49-0 EC 222-573-8 INDEX -	$0 \leq x < 1$	Substance with a community workplace exposure limit.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

In case of doubt or when symptoms remain, seek medical advice keeping the information sheet of the preparation available. Do not administer unconscious persons by mouth.

4.1. Description of first aid measures

CONTACT WITH SKIN: wash the contaminated part with water and drain. If irritation persists or tissue damage occurs, consult a doctor if necessary.

CONTACT WITH EYES: remove contact lenses if present; wash the eyes with open eyelid with water. Consult a doctor.

INGESTION: Rinse mouth with water. Consult a doctor.

INHALATION: Remove the injured person from the danger area in a well ventilated area; if symptoms of discomfort appear, seek medical assistance.

4.2. Most important symptoms and effects, both acute and delayed

No specific information on the symptoms and effects caused by the product is known.

For symptoms and effects due to the substances contained, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING MEDIA: The extinguishing media are the traditional ones: carbon dioxide, foam and chemical powder. For leaks and spills of the product that have not ignited, the nebulized water can be used to disperse the flammable vapors and to protect the people involved in stopping the loss. NON-SUITABLE EXTINGUISHING MEDIA: Do not use water jets. Water is not effective for extinguishing the fire but it can be used to cool closed

containers exposed to the flame, preventing bursts and explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS DUE TO EXPOSURE IN THE EVENT OF FIRE: Avoid breathing combustion products: carbon oxides.

5.3. Advice for firefighters

GENERAL INFORMATION: Cool the containers with water jets to avoid decomposition of the product and the development of substances potentially hazardous for health. Wear, if necessary, complete fire protection equipment. Collect extinguishing water that must not be discharged into drains. Dispose of the contaminated water used for the fire extinguisher and the residue according to the regulations in force. EQUIPMENT: Not necessary for small fires. If necessary, wear fire-fighting clothing such as a fireproof suit (EN469), fireproof gloves (EN659) and boots for firefighters (HO A29 or A30) depending on the amount of product and any other materials involved in the fire.

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Stop the leak if there is no danger. Wear appropriate protective equipment (including personal protective equipment referred to in section 8 of the safety data sheet) to prevent contamination of the skin, eyes and personal clothing. These indications are valid both for workers involved in the work and for emergency interventions.

6.2. Environmental precautions

Prevent the product from entering sewers, surface waters, water tables.

6.3. Methods and material for containment and cleaning up

Vacuum the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking section 10. Absorb the remainder with inert absorbent material. Ensure adequate ventilation of the area affected by the loss. Disposal of the contaminated material must be carried out in accordance with the provisions of point 13.

6.4. Reference to other sections

Any information regarding personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

See the exposure scenarios attached to this safety datasheet.

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

Regulatory References:

EU OEL EU Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

HYDROCHLORIC ACID**Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
OEL	EU	8	5	15	10	
Predicted no-effect concentration - PNEC						
Normal value in fresh water				36	mg/l	
Normal value in marine water				0,036	mg/l	
Normal value for water, intermittent release				0,045	mg/l	
Normal value of STP microorganisms				36	mg/l	

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					15 mg/m3		8 mg/m3	

E131 BLU PATENT**Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
OEL	EU	10				polveri totali

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

When choosing risk management measures and operating conditions, consult the exposure scenarios attached.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

For information on controlling environmental exposure, see the exposure scenarios attached to this safety datasheet.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance	liquid
Colour	blue
Odour	mild
Odour threshold	Not available
pH	3,5
Melting point / freezing point	Not available
Initial boiling point	100 °C
Boiling range	Not available
Flash point	Not applicable
Evaporation Rate	Not available
Flammability of solids and gases	not applicable
Lower inflammability limit	Not applicable
Upper inflammability limit	Not applicable
Lower explosive limit	Not applicable
Upper explosive limit	Not applicable
Vapour pressure	Not available
Vapour density	Not available
Relative density	1,035 g/cm ³
Solubility	soluble
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	<200 cps
Explosive properties	not explosive
Oxidising properties	non oxidante

9.2. Other information

Frost point < 0°C
VOC (Directive 1999/13 / EC: 11.5%) assenti

SECTION 10. Stability and reactivity

In the absence of data relating to the preparation, the following information refers to the substances that make up the mixture.

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in the recommended storage and use conditions (see paragraph 7).

10.3. Possibility of hazardous reactions

Under normal conditions of use and storage, no dangerous reactions are foreseeable.

10.4. Conditions to avoid

Close the container after use. Keep out of reach of children. Store in a clean, cool and protected place from direct light sources and heat sources.

10.5. Incompatible materials

Information not available.

10.6. Hazardous decomposition products

Information not available.

SECTION 11. Toxicological information**11.1. Information on toxicological effects**Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

Not classified (no significant component)

HYDROCHLORIC ACID

LC50 (Inhalation) 1,68 mg/l/1h ratto (HCl anidro)

Polimero di cloruro di N,N-dimetil-2-idrossipropil ammonio

LD50 (Oral) 1865 mg/kg Ratto

LD50 (Dermal) > 2000 mg/kg coniglio

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organ
HYDROCHLORIC ACID

sistema respiratorio.

Route of exposure
HYDROCHLORIC ACID

inalazione.

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

This product is dangerous for the environment and highly toxic for aquatic organisms.

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

12.1. Toxicity

HYDROCHLORIC ACID

It is established that the aquatic toxicity of HCl occurs when the quantity is such as to produce very low pH (eg pH 3-5). Given the proposed uses, as only insubstantial perturbations of pH levels are expected, there are no long-term risks to aquatic organisms. In the aquatic environment the effects of HCl are evidently linked to the pH effect since HCl completely dissociates in the H⁺ and Cl⁻ ions (not dangerous): therefore HCl will not reach the sediments and the terrestrial environment. EC50 (4h): 4.92 pH (Daphnia magna), EC50 / 72h: 4.82 pH (Algae), LC50 / 96h: 3.25-3.5 oH (freshwater fish)

HYDROCHLORIC ACID

LC50 - for Fish	282 mg/l/96h
EC50 - for Crustacea	< 56 mg/l/72h

Polimero di cloruro di N,N-dimetil-2-

idrossipropil ammonio

LC50 - for Fish	0,077 mg/l/96h rainbow trout
EC50 - for Crustacea	0,084 mg/l/48h daphnia magna
EC50 - for Algae / Aquatic Plants	0,13 mg/l/72h alga verde
Chronic NOEC for Fish	0,024 mg/l trota iridea
Chronic NOEC for Crustacea	0,026 mg/l daphnia magna
Chronic NOEC for Algae / Aquatic Plants	0,032 mg/l alga verde

12.2. Persistence and degradability

HYDROCHLORIC ACID

HCl is an inorganic substance that is not biologically degradable.

HYDROCHLORIC ACID

Entirely degradable

Polimero di cloruro di N,N-dimetil-2-idrossipropil ammonio
NOT rapidly degradable

81% oecd tg301 28 d

E131 BLU PATENT

Degradability: information not available

12.3. Bioaccumulative potential

HYDROCHLORIC ACID

bioaccumulation phenomena are not expected.

Polimero di cloruro di N,N-dimetil-2-idrossipropil ammonio

Partition coefficient: n-octanol/water -3,13 21°C

12.4. Mobility in soil

HYDROCHLORIC ACID

If released into the soil, absorption is minimal. Depending on the buffer capacity of the soil, the H + ion is neutralized in the pores of the inorganic or organic material or the pH can be lowered. EC50 (3h): 5-5.5 pH. The substance has an inhibitory effect on the breathing speed of the activated sludge.

Polimero di cloruro di N,N-dimetil-2-idrossipropil ammonio

Partition coefficient: soil/water > 4,7

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

ADR / RID, IMDG, 3082
IATA:
ADR / RID: In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity \leq 5Kg or 5L, is not submitted to ADR provisions.
IMDG: In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity \leq 5Kg or 5L, is not submitted to IMDG Code provisions.
IATA: In accordance with SP A197, this product, when is packed in receptacles of a capacity \leq 5Kg or 5L, is not submitted to IATA dangerous goods regulations.

14.2. UN proper shipping name

ADR / RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es)

ADR / RID: Class: 9 Label: 9
IMDG: Class: 9 Label: 9
IATA: Class: 9 Label: 9

**14.4. Packing group**

ADR / RID, IMDG, III
IATA:

14.5. Environmental hazards

ADR / RID: Environmentally Hazardous



IMDG: Marine Pollutant



IATA: Environmentally Hazardous



14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 90	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-F	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 450 L	Packaging instructions: 964
	Pass.:	Maximum quantity: 450 L	Packaging instructions: 964
	Special provision:	A97, A158, A197	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

CODICE ISS (Azienda / preparato): 00466200359 / U23

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: E1

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point 3

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

HYDROCHLORIC ACID

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1	Substance or mixture corrosive to metals, category 1
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Use descriptor system:

ERC	9b	Widespread use of functional fluid (outdoor)
PC	20	Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
PC	37	Water treatment chemicals
PROC	8a	Transfer of substance or mixture (charging and discharging) at non- dedicated facilities
PROC	8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities

NEW PLAST SRL

Revision nr. 4

Dated 12/03/2021

CRYSTAL WATER

Page n. 14/15

PROC **9** Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
 4. Regulation (EU) 2015/830 of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
 16. Regulation (EU) 2019/521 (XII Atp. CLP)
 17. Regulation (EU) 2019/1148
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.
This document must not be regarded as a guarantee on any specific product property.

NEW PLAST SRL

Revision nr. 4

Dated 12/03/2021

CRYSTAL WATER

Page n. 15/15

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Exposure Scenarios

Substance	HYDROCHLORIC ACID
Scenario Title	ACIDO CLORIDRICO
Revision nr.	2
File	EN_1057_2.pdf